



Periodic Planning - Worksheet

Thursday, September 03, 2020

A worksheet that list all the periodic requirements specific to a subsection.

Main1 Cath Lab

Main1 Cath Lab: Pre-Op Hold	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	08/15/2020 ()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab:	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()

Main1 Cath Lab: Utility Clean	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	07/13/2020 ()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab: Treatment Rm Control Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab: Cath Lab #1	Freq Scheduled	Freq Completed	Date Last Performed (X)
Wall Washing, Vents, Light Panels	1	0	()
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()

Main1 Cath Lab: Cath Lab #2	Freq Scheduled	Freq Completed	Date Last Performed (X)
Wall Washing, Vents, Light Panels	1	0	()
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	1	08/27/2020 ()
Floor Shower Scrubbing	1	0	()

Main1 Cath Lab: Storage Rm/Area	Freq Scheduled	Freq Completed	Date Last Performed (X)
Wall Washing, Vents, Light Panels	1	0	()
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()

Cath Lab: Office Manager	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Cath Lab: Reception Area	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab

Cath Lab: Office Supervisor	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Wall Washing, Vents, Light Panels	1	0		()
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	1	08/27/2020	()
Floor Shower Scrubbing	1	0		()
Main1 Cath Lab:Office Supervisor	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
Main1 Cath Lab:Locker Rm	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
Main1 Cath Lab:Conf Rm	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
Main1 Cath Lab: Office ?	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
Main1 Cath Lab: Corridors Hard Halls Cath Lab	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
Main1 Cath Lab: Procedure Rm	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
Main1 Cath Lab: Utility, Soiled	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
Main1 Cath Lab: Janitor Closet	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main1 Cath Lab

Main1 Cath Lab: Treatment Rm Control Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab: Darkroom Film Development	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab: File Rm/Area Film Storage	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab: File Rm/Film Storage	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab: File Room/Film Storage	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Cath Lab: File Rm / Area Film Storage	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Number of Jobs: **86**

Main1 H/R

Main1 H/R: Recept Area	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: Conf Room	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: Office	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R

Main1 H/R: Office1	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: File Rm/Area	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: Office2	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: Office3	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: Office 4	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: Office 5	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: Office 6	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main H/R: Office 7	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 H/R: corridors Carpet 12" Hall Inside	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Number of Jobs: **36****Main1 Motels**

Main1 Motels: Corridors Carpet Halls Main	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Motels

Main1 Motels: Ancillary Chapel	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Ancillary Confessional 1	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Ancillary Confessional 2	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Motels:	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Kitchen Galley Chapel	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Dressing Booth Priest Dressing	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Sleep \Call Rm Motel 1	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel 1A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Sleep\Call Rm Motel 2	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main Motels: Restroom Public 2A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()

Main1 Motels

Main Motels: Sleep\Call Rm Motel Entrance	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()
Main1 Motels: Restroom Public Storm Shelter	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()
Main1 Clean office in Motel #3 and restroom	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel #3A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()
Main1 Motels: Sleep\Call Rm Motel #4	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public motel 4A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()
Main1 Motels: Sleep\Call Rm Motel #5	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel #5A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()
Main1 Motels: Sleep\Call Rm Motel #6	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel 6A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()
Main1 Motels: Sleep\Call Rm #7	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel #7A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()
Main1 Motels: Restroom Public Men	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Motels

Main1 Motels: Restroom Public Women	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Janitor Closet	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Sleep\Call Room Motel #8	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel #8A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Day Rm Lounge	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Sleep\Call Room Motel #9	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel #9A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Sleep\Call Rm #10	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Restroom Public Motel #10A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Motels: Sleep\Call Rm Motel #11	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Motels

Main1 Motels: Restroom Public Motel #11A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Motels: Office Medical Staff Credentialing	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Motels: Office Employee Health	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Motels: Sleep\Call Rm Motel #12	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Motels: Restroom Public Motel #12A	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Number of Jobs: **114**

Main1 Nursing Admin

Main1 Nursing Admin: Waiting/Consult Entrance Wait	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Nursing Admin: Recept Area	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Nursing Admin: Office Pt Care Coord	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Nursing Admin: Office Staffing Coord	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Nursing Admin

Main1 Nursing Admin: File Rm/Area	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Office Infection Control	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Office Misc	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Office Nursing Education	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Corrisors Carpet 12" Hall Inn	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Office VP Nursing Asst	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Office VP Nursing	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Kitchen Galley	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Conf Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main1 Nursing Admin: Janitor Closet Outside Hall	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main1 Nursing Admin

Main1 Nursing Admin: Corridors Carpet Hall	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
<hr/>				
Main1 Nursing Admin: Restroom Staff Men	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
<hr/>				
Main1 Nursing Admin: Restroom Staff Women	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
<hr/>				
Main1 Nursing Admin: Stairs Old ER Stairwell	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
<hr/>				
Main1 Nursing Admin: Corridors Hard Svc Elev Bay	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Number of Jobs: **62**

Main2 CICU

Main2 CICU: Office Director	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
<hr/>				
Main2 OB: Waiting Room	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
<hr/>				
Main2 CICU: Storage Rm/Area	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()
<hr/>				
Main2 CICU: Corridors Carpet Entrance Hall	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 CICU

Main2 CICU: Patient Rm Pri 272	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 273	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 274	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 275	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 276	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 277	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 278	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 279	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU: Patient Rm Pri 280	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 CICU

Main2 CICU: Patient Rm Pri 281	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Patient Rm Pri 282	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Break Rm Staff	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Equipment Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Janitor Closet	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Conf Rm Family Conf Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Utility Soiled	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Kitchen Galley Med Station	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 CICU: Medication Rm Med Sta	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	3	0	()
Main2 CICU: Nurse Station	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	3	0	()

Main2 CICU

Main2 CICU: Corridors Carpet Halls	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	0		()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 CICU: Restroom Staff	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 CICU: Patient Rm Pri 271	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Burnishing (High Speed)	10	0		()
Floor Stripping and Refinishing	1	0		()
Floor Shower Scrubbing	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Number of Jobs: **92**

Main2 Conf Center

Main2 Conf Center: Restroom-Public Women	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Restroom Scrubbing and Wall Washing, Vents	6	0		()

Main2 Conf Center: Janitor Closet	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Floor Scrubbing (No Finishing) Procedure	12	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 Conf Center: Restroom-Public Men	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Restroom Scrubbing and Wall Washing, Vents	6	0		()

Main2 Conf Center: Corridors Carpet Foyer	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	1	08/01/2020	()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 Conf Center: Ancillary Telephone/Water Fount	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	1	08/01/2020	()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 Conf Center: Corridors Carpet Mileau Waiting	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	1	08/01/2020	()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 Conf Center: Conf. Rm A	Freq Scheduled	Freq Completed	Date Last Performed	(X)
Carpet Bonneting	5	1	08/01/2020	()
Carpet Shampoo and Extract	1	0		()
Wall Washing, Vents, Light Panels	1	0		()

Main2 Conf Center

Main2 Conf Center: Conf. Rm B	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Conf. Rm C	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Conf. Rm D	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Conf. Rm E	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Conf. Rm F	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Kitchen Galley	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Library Medical Library	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Office Director Karan Crocker	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Office ? Name	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Conf Center: Office Kathy Ortegren	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Conf Center

Main2 Conf Center: Office Secretary	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Conf Center: Office Staff	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	1	08/01/2020 ()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Number of Jobs: **53**

Main2 Dialysis

Main2 Dialysis: Kitchen Galley	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Dialysis: Wrk Area Open Ofc Copy/Mail	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Dialysis: Storage Rm /Area Chemical	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Dialysis: Treatment Rm Dialysis Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Dialysis: Utility Soiled & Phone Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Dialysis: Waiting/Consult	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Dialysis: Restroom Public Waiting RR	Freq Scheduled	Freq Completed	Date Last Performed (X)
Restroom Scrubbing and Wall Washing, Vents	6	0	()

Main2 Dialysis

Main2 Dialysis: Restroom Public	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Storage Rm/Area Chemical Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Exam Rm 1	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Storage Rm/Area 2-Storage	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Restroom Staff 2&2 Storage	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Storage Rm/Area Exam 3 Storage	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Storage Rm/Area Exam	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Office Patrice Taylor	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Corridors Hard Mop stairs Foyer	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 Dialysis

Main2 Dialysis: Office Director	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Conf. Rm	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Corridors Carpet Dialysis Hall	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 Dialysis: Exam Rm 2	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Number of Jobs: **71**

Main2 FBC

Main2 FBC: OFFICE	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Storage Rm/Next to fire ext.	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Office/lactation consult	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Office/next to lactation consult	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: File Rm/next to office	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 FBC

Main2 FBC: Janitor Closet/across from nurse statio	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Restroom Public/next to janitor closet	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pantry/galley	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Storage Rm/clean supply utility	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Conf. Rm/next to 3250	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3250	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3251	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri 3253	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3254	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3255	Freq Scheduled	Freq Completed	Date Last Performed (X)
Wall Washing, Vents, Light Panels	1	0	()
Floor Scrubbing (No Finishing) Procedure	12	0	()
Main2 FBC: Pat. Rm Pri /3256	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 FBC

Main2 FBC: Pat. Rm Pri /3257	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3258	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3259	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3260	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3261	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Pat. Rm Pri /3262	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Corridors Hard Mop /c-section	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Suite, OR /3269	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Scrub Area /next to 3269	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Storage Supply/next to scrub area	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Storage Rm/next to sterile supply	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Utility Soiled/next to storage room	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Utility, Soiled/next to double doors	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 FBC

Main2 FBC: Labor Rm /3263	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Labor Rm /3264	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Labor Rm /3265	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Labor Rm /3266	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Labor Rm /3267	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Labor Rm /3268	Freq Scheduled	Freq Completed	Date Last Performed (X)
Floor Scrubbing (No Finishing) Procedure	12	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Nurse Station /open	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Medication Rm/behind nurse station	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Storage Rm/across from 3264	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Sleep\across from 3263	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
<hr/>			
Main2 FBC: Janitor Closet/Housekeeping	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Main2 FBC

Main2 FBC: RR-Birthing Tub room 2	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: RR-Birthing Tub room 1	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Locker Rm /Nursing Dressing	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Restroom-Staff /inside nursing dressing	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Locker Rm /Doctors	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Restroom-Staff /inside Doctors	Freq Scheduled	Freq Completed	Date Last Performed (X)
Burnishing (High Speed)	10	0	()
Floor Stripping and Refinishing	1	0	()
Floor Shower Scrubbing	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Sleep\Call Rm next to Doctors dressing	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: Corridors Carpet for FBC	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()
Main2 FBC: corridors : All	Freq Scheduled	Freq Completed	Date Last Performed (X)
Carpet Bonneting	5	0	()
Carpet Shampoo and Extract	1	0	()
Wall Washing, Vents, Light Panels	1	0	()

Number of Jobs: **136**